

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|---------------------|
| S1 | 4 | effect near5 pigment near5 aluminum near5 core | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/21 16:53 |
| S2 | 2 | ("5624486").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/09/24 10:49 |
| S3 | 2 | ("20070104663").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/09/24 10:43 |
| S4 | 2 | S3 and chalcogenide | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/21 17:37 |
| S5 | 413 | 106/400.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/21 17:37 |
| S6 | 1051 | 424/61.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/21 17:37 |
| S7 | 518 | 106/404.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/21 17:37 |
| S8 | 644 | 106/415.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/21 17:37 |
| S9 | 410 | 106/31.9.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/21 17:37 |
| S10 | 395 | 106/31.65.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/21 17:37 |
| S11 | 317 | 424/70.7.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/21 17:38 |

| | | | | | | |
|-----|------|--|--|----|-----|---------------------|
| S12 | 1076 | 424/64.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/21 17:38 |
| S13 | 3479 | 428/403.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/21 17:38 |
| S14 | 1818 | 428/404.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/21 17:38 |
| S15 | 8645 | S5 S6 S7 S8 S9 S10 S11 S12 S13 S14 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/21 17:38 |
| S16 | 2 | ("20070104663").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/09/24 10:43 |
| S17 | 1 | S16 and (form near factor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:43 |
| S18 | 1 | S16 and (form near factor) and gradient | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:48 |
| S19 | 2 | ("5624486").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/09/24 10:49 |
| S20 | 0 | S19 and oxidation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:52 |
| S21 | 1 | S19 and iron | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:52 |
| S22 | 413 | 106/400.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:54 |
| S23 | 1051 | 424/61.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:54 |

| | | | | | | |
|-----|------|---|--|----|----|---------------------|
| S24 | 518 | 106/404.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:54 |
| S25 | 644 | 106/415.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:54 |
| S26 | 410 | 106/31.9.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:54 |
| S27 | 395 | 106/31.65.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:54 |
| S28 | 317 | 424/70.7.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:54 |
| S29 | 1076 | 424/64.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:54 |
| S30 | 3479 | 428/403.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:54 |
| S31 | 1818 | 428/404.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:54 |
| S32 | 8645 | S22 S23 S24 S25 S26 S27 S28 S29 S30 S31 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:54 |
| S33 | 8 | S32 and ((aluminum near2 (oxide or hydroxide)) with pigment same (layer or layered or layers) same (high\$3 near2 refractive)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:59 |
| S34 | 3456 | effect near pigment | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:59 |
| S35 | 3 | (effect near pigment) same (wet near chemical near5 oxidation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 10:59 |

| | | | | | | |
|-----|-------|---|--|----|----|---------------------|
| S36 | 3 | (effect near pigment) and (wet near chemical near5 oxidation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 11:01 |
| S37 | 328 | (wet near chemical near5 oxidation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 11:01 |
| S38 | 0 | (wet near chemical near5 oxidation) same (aluminum near (oxide or hydroxide)) same ((silicon near oxide) or "SiO.sub.2") same ((iron near oxide) or "Fe.sub.2 O.sub.3") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 11:02 |
| S39 | 0 | (wet near chemical near5 oxidation) same aluminum same ((silicon near oxide) or "SiO.sub.2") same ((iron near oxide) or "Fe.sub.2 O.sub.3") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 11:02 |
| S40 | 3182 | (aluminum near (oxide or hydroxide)) same ((silicon near oxide) or "SiO.sub.2") same ((iron near oxide) or "Fe.sub.2 O.sub.3") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 11:21 |
| S41 | 0 | (aluminum near (oxide or hydroxide)) same ((silicon near oxide) or "SiO.sub.2") same ((iron near oxide) or "Fe.sub.2 O.sub.3") and (wet near2 chemical near5 oxidation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 11:20 |
| S42 | 4 | (aluminum near (oxide or hydroxide)) same ((silicon near oxide) or "SiO.sub.2") same ((iron near oxide) or "Fe.sub.2 O.sub.3") near50 (oxidation near5 aluminum) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 11:22 |
| S43 | 15049 | oxidation near5 aluminum | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 11:23 |
| S44 | 7055 | oxidation near2 aluminum | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 11:24 |

| | | | | | | |
|-----|------|--|--|----|-----|---------------------|
| S45 | 3 | (oxidation near2 aluminum) near20 (wet near2 chemical) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 11:25 |
| S46 | 0 | Ep-0451785-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 13:48 |
| S47 | 0 | EP-0451785-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 13:48 |
| S48 | 2 | EP-451785-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2007/09/24 13:48 |
| S49 | 2 | ("5964936").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/03/05 14:24 |
| S50 | 14 | ((wet near chemical) with pigment) same (aluminum or (aluminum near5 (alloy or oxide or hydroxide))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 15:02 |
| S51 | 76 | henglein.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 15:45 |
| S52 | 245 | birner.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 15:45 |
| S53 | 1278 | gruner.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 15:45 |
| S54 | 1594 | S51 S52 S53 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 15:45 |
| S55 | 19 | S54 and (pigment with aluminum) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 15:45 |
| S56 | 0 | EP-0580022-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 16:27 |

| | | | | | | |
|-----|-------|---|--|----|-----|---------------------|
| S57 | 1 | EP-580022-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 16:27 |
| S58 | 2 | ("4374306").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/03/05 16:57 |
| S59 | 4 | ("3413487" "3789803" "4027223" "B472284"). PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/03/05 16:57 |
| S60 | 5 | ("4374306").URPN. | USPAT | OR | ON | 2008/03/05 16:57 |
| S61 | 15294 | aluminum with (layer or layered or core) same (coating or coated or covered or envelop) same ((aluminum near hydroxide) or (aluminum near oxide) or alumina or "Al.sub.2 O.sub.3" or "Al2O3" or "Al.sub.2 O. sub.3" or "Al(OH).sub.3" or "Al(OH)3") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 17:00 |
| S62 | 15294 | (aluminum with (layer or layered or core)) same (coating or coated or covered or envelop) same ((aluminum near hydroxide) or (aluminum near oxide) or alumina or "Al.sub.2 O.sub.3" or "Al2O3" or "Al.sub.2 O. sub.3" or "Al(OH).sub.3" or "Al(OH)3") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 17:00 |
| S63 | 428 | 106/400.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 17:00 |
| S64 | 11 | S62 and S63 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 17:00 |
| S65 | 494 | (aluminum near5 core) same (coating or coated or covered or envelope) same ((aluminum near hydroxide) or (aluminum near oxide) or alumina or "Al.sub.2 O.sub.3" or "Al2O3" or "Al.sub.2 O. sub.3" or "Al(OH).sub.3" or "Al(OH)3") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 17:03 |

| | | | | | | |
|-----|-----|--|--|----|-----|---------------------|
| S66 | 48 | S65 same pigment | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/05 17:03 |
| S67 | 2 | ("6596070").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/03/07 08:50 |
| S68 | 851 | (oxidation or oxidized or oxidizing) with aluminum same pigment | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/10 14:15 |
| S69 | 305 | (oxidation or oxidized or oxidizing) with aluminum same pigment same (layered or layer or multilayer or multi-layered or multi-layer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/10 14:16 |
| S70 | 51 | (oxidation or oxidized or oxidizing) with aluminum same pigment same (layered or layer or multilayer or multi-layered or multi-layer) same thickness | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/10 14:17 |
| S71 | 5 | (oxidation or oxidized or oxidizing) with aluminum with (chemical near wet) same pigment | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/10 16:03 |
| S72 | 18 | aluminum with (chemical near wet) with (oxidation or oxidized or oxidizing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/10 16:04 |
| S73 | 11 | ((("4123267") or ("4190321") or ("4252843") or ("4396643") or ("5262360"))).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/03/10 16:09 |
| S74 | 1 | S73 and (wet near5 chemical) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/10 16:10 |
| S75 | 8 | S73 and aluminum | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/10 16:19 |
| S76 | 38 | aluminum same (chemical near wet) with (oxidation or oxidized or oxidizing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/10 16:21 |

| | | | | | | |
|-----|-------|---|--|----|-----|---------------------|
| S77 | 20 | S76 not S72 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/10 16:21 |
| S78 | 2 | ("5624486").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/03/11 14:40 |
| S79 | 19 | ("2885366" "3053683" "3074801" "3438796" "3767443" "4328042" "4552593" "4676838" "4867793" "4879140" "4978394" "5026429" "5059245" "5277711" "5364467").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/03/11 14:40 |
| S80 | 0 | S79 same (wet near2 chemical) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 14:44 |
| S81 | 2447 | 427/215-218.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 14:47 |
| S82 | 207 | S81 and (aluminum with (coating or coated) with oxide) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 14:47 |
| S83 | 10 | S81 and (aluminum with (coating or coated) with oxide) and (wet near2 chemical) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 14:47 |
| S84 | 5 | ((("5261955") or ("2885366"))).PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/03/11 14:55 |
| S85 | 1 | S84 and ((aluminum or aluminium) near oxide) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 15:11 |
| S86 | 12905 | ((organic near solvent) or alcohol or ketone or glycol or ethanol or propanol or isopropanol or "n-butanol" or butanol or isobutanol or "tert- butanol" or methoxypropanol or acetone or (butyl near glycol)) with (aluminum or aluminium) with oxid \$6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 15:14 |

| | | | | | | |
|-----|-----|--|--|----|----|---------------------|
| S87 | 904 | ((organic near solvent) or alcohol or ketone or glycol or ethanol or propanol or isopropanol or "n-butanol" or butanol or isobutanol or "tert-butanol" or methoxypropanol or acetone or (butyl near glycol)) with (aluminum or aluminium) with oxid \$6 same pigment | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 15:15 |
| S88 | 696 | ((organic near solvent) or alcohol or ketone or glycol or ethanol or propanol or isopropanol or "n-butanol" or butanol or isobutanol or "tert-butanol" or methoxypropanol or acetone or (butyl near glycol)) with (aluminum or aluminium) with oxid \$6 with pigment | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 15:15 |
| S89 | 3 | ((organic near solvent) or alcohol or ketone or glycol or ethanol or propanol or isopropanol or "n-butanol" or butanol or isobutanol or "tert-butanol" or methoxypropanol or acetone or (butyl near glycol)) with (aluminum or aluminium) with oxid \$6 same pigment same (oxidizing near agent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 15:15 |
| S90 | 5 | ((high near refractive) with (iron adj oxide)) same ((low near refractive) with (silicon near oxide)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 16:33 |
| S91 | 0 | ((high near refractive) with (iron adj oxide) with value) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 16:39 |
| S92 | 2 | ((high near refractive) with (iron adj oxide) with ("1.8\$" or "1.9\$")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 16:39 |

| | | | | | | |
|------|------|--|--|----|-----|---------------------|
| S93 | 70 | (low near refractive) with (silicon adj (oxide or dioxide)) with ("1.8\$" or "1.9\$" or "1.7\$" or "1.6\$" or "1.3\$") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 16:41 |
| S94 | 2 | (low near refractive) with (silicon adj (oxide or dioxide)) with ("1.8\$" or "1.7\$" or "1.6\$") same pigment | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 16:44 |
| S95 | 2 | ("5624486").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2008/03/11 17:21 |
| S96 | 2 | S95 and (paint or cosmetic or coating or printing or ink or plastic) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/11 17:22 |
| S97 | 2 | (aluminum near5 pigment near5 surface) with coat with organic | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/12 09:23 |
| S98 | 0 | EP-0848735-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/12 09:26 |
| S99 | 1 | EP-848735-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/03/12 09:26 |
| S100 | 461 | 106/400.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/29 12:35 |
| S101 | 1128 | 424/61.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/29 12:35 |
| S102 | 541 | 106/404.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/29 12:35 |
| S103 | 666 | 106/415.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/29 12:35 |
| S104 | 447 | 106/31.9.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/29 12:35 |

| | | | | | | |
|------|------|--|--|----|----|---------------------|
| S105 | 442 | 106/31.65.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/29 12:35 |
| S106 | 385 | 424/70.7.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/29 12:35 |
| S107 | 1149 | 424/64.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/29 12:35 |
| S108 | 3757 | 428/403.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/29 12:35 |
| S109 | 1902 | 428/404.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/29 12:35 |
| S110 | 9264 | S100 S101 S102 S103 S104 S105 S106 S107 S108 S109 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/29 12:35 |
| S111 | 1 | S110 and pigment same aluminum with (core or center) and (wet near5 chemical near5 oxidation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/29 12:35 |
| S112 | 7 | S110 and effect near5 pigment same aluminum with (core or center) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/29 12:35 |

12/ 29/ 2008 12:38:49 PM

C:\ Documents and Settings\ pparvini\ My Documents\ EAST\ Workspaces\ 10580120_effect
pigment comprising an aluminum core.wsp